

Safety First:

These instructions contain important information regarding safety. They should be read carefully before commencing installation and should be retained for future reference. The company will not accept responsibility for any injury, damage or loss which may arise due to incorrect installation, operation or maintenance due to non-adherence to these instructions. This product must be installed in accordance with the latest edition of the IEE wiring regulations and building regulations.

Suitable only for indoor installation. Metallic faceplates must be earthed. This product should be installed by a qualified electrician. Before starting any electrical work always switch off the mains.

Wiring Instructions

- Switch off at the mains in order to isolate the area in which you intend to
- install your product.


 2) Ensure that there is sufficient length of cable to enable easy wiring, and not too much to make losing the excess length in the back of the product too
- difficult.
 3) Tighten the screw terminals onto the exposed wires (do not over-tighten)
- maintaining correct polarity using the easy to follow wiring diagrams.

 4) When installation is correctly completed, re-connect mains supply.

- LGK825 Junction Box, 4 Terminal 5 amp, White LGK825B - Junction Box, 4 Terminal 5 amp, Black
- LGK826 Junction Box, 4 Terminal 20 amp, White LGK826B - Junction Box, 4 Terminal 20 amp, Black
- LGK828 Junction Box, 3 Terminal 30 amp, Whit LGK828B - Junction Box, 3 Terminal 30 amp, Blacke

LG1730 - Ceiling Switch, 10 amp 1 Way

LG1731, LG9494, LG9495, LG9496, LG9497 - Ceiling Switch, 10 amp 2 Way LG1731, LG9494, LG9495, LG9496, LG9497 - Two-way switching 2 wire control




Polarity Connections
Brown (Red) to L - Live
Blue (Black) to N - Neutral

Green / Yellow to E - Earth

Polarity Connections
Brown (Red) to L - Live
Blue (Black) to N - Neutral
Green / Yellow to E - Earth

Polarity Connections
Brown (Red) to L - Live
Blue (Black) to N - Neutral
Green / Yellow to E - Earth



LG8332/2 - Lampholder Batten LG8331/2 - Lampholder Batten Angled

LG9488 - Pendant T2

LG9490 / LG9491- Pendant T2


LOOP

Polarity Connections

Brown (Red) to L - Live


Blue (Black) to N - Neutral

Green / Yellow to E - Earth



Polarity Connections Brown (Red) to L - Live Blue (Black) to N - Neutral Green / Yellow to E - Earth

LG8327 - Batten T2 Pre-Wired Clear Ceiling Rose Base LG8317 - Batten T2 Pre-Wired Clear Ceiling Rose Base Angled LG1735 - Batten T2 Pre-Wired Clear Ceiling Rose Base LG1735/FL/6T2 & 9T2 - Batten T2 Pre-Wired Ceiling Pendant



Polarity Connections Brown (Red) to L - Live Blue (Black) to N - Neutral Green / Yellow to E - Earth

Disposal Information

Should you want to dispose of this item please do not put it with the household waste. Used electrical and electronic equipment and batteries must be made available for separate collection. Electrical products may contain toxic materials such as lead or cadmium. Separate collection allows materials to be recovered and recycled. Private households may return their used electrical and electronic equipment to designated collection facilities free of charge. Facilities are usually available at the municipal waste site, your electrical retailer, or your local authority may provide separate collection from the household. By disposing of this product correctly you will be providing positive help to the environment.

LGA Europe Ltd. T/A Selectric. Cow Lane, Oldfield Boad, Salford, M5 4NB, UK



SAFETY FIRST BEFORE STARTING ANY ELECTRICAL WORK ALWAYS SWITCH OFF AT THE MAINS



IF IN DOUBT CONSULT A QUALIFIED ELECTRICIAN